| | Type | Hits | Search Text | DBs |
|---|---|---|---|---|
| 1 | BRS | 434 | (search$ or retriev$) same (domain near2 address$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 2 | BRS | 42 | ((search$ or retriev$) same (domain near2 address$2)) and (select$ with (domain near2 address$2)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 3 | BRS | 2850 | Web near3 cards | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 4 | BRS | 0 | (Web near3 cards) and (select$ with (domain near2 address$2)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 5 | BRS | 40 | (Web near3 cards) and (domain near2 address$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 6 | BRS | 12 | (Web near3 cards) and (domain near2 address$2) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 7 | BRS | 12 | web near2 business near2 card | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 8 | BRS | 14 | subdomain near2 address$2 | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 9 | BRS | 27 | sub-domain near2 address$2 | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 10 | BRS | 27 | sub-domain near2 addresses | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 11 | BRS | 0 | (display with (sub-domain near2 addresses)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 12 | BRS | 6 | (select$ with (sub-domain near2 addresses)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 13 | BRS | 120 | (select$ with (domain near2 address$2)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 14 | BRS | 6 | (select$ with (domain near2 address$2)) and (sub-domain near2 address) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 15 | BRS | 2 | (select$ with (domain near2 address$2)) and (subdomain near2 addresses) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 16 | BRS | 633 | (updat$ or maintain$) with DNS | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 17 | BRS | 74 | ((updat$ or maintain$) with DNS) and (domain near2 addresses) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 18 | BRS | 55 | (((updat$ or maintain$) with DNS) and (domain near2 addresses)) and database | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 19 | BRS | 2160 | select$ with URL | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 20 | BRS | 192 | (select$ with URL) and 705/$.ccls. | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 21 | BRS | 167 | (select$ with URL) and 705/27 | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 22 | BRS | 89 | ((select$ with URL) and 705/27) and (display$ with URL) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 23 | BRS | 89 | ((select$ with URL) and 705/27) and (display$ with URLs) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 24 | BRS | 65 | (((select$ with URL) and 705/27) and (display$ with URLs)) and regist$ | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 25 | BRS | 47 | (display$ with (domain near2 addresses)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 26 | BRS | 2509 | display$ with URLs | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 27 | BRS | 308 | (display$ with URLs) and (domain near2 name$) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 28 | BRS | 143 | (display$ with URLs).clm. | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 29 | BRS | 34 | ((display$ with URLs).clm.) and (domain near2 name$1)\ | USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|---|---|---|---|---|
| 30 | BRS | 34 | ((display$ with URLs).clm.) and (domain near2 name$1) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 31 | BRS | 1 | (store$ with (subdomain near2 addresses)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 32 | BRS | 4 | (store$ same (subdomain near2 addresses)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 33 | BRS | 4 | (subdomain near2 addresses) same database | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 34 | BRS | 120 | (select$ with (domain near2 address$2)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 35 | BRS | 1 | (select$ with (subdomain near2 address$2)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 36 | BRS | 6 | (select$ with (sub-domain near2 address$2)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 37 | BRS | 25 | (select$ with (domain near2 address$2)).clm. | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 38 | BRS | 27 | (storing near3 (domain near2 addresses)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 39 | BRS | 14 | subdomain near2 addresses | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 40 | BRS | 307 | URL$1 with cards | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 41 | BRS | 14 | (URL$1 with cards) and (email near2 address$2) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 42 | BRS | 95 | (URL$1 with cards) and (display$3 with URLs) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 43 | BRS | 56 | ((URL$1 with cards) and (display$3 with URLs)) and (select$ with URL) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 44 | BRS | 9 | (((URL$1 with cards) and (display$3 with URLs)) and (select$ with URL)) and (email near2 address$2) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 45 | BRS | 482 | contact near2 database | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 46 | BRS | 11 | (contact near2 database) and (search$ with URL) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 47 | BRS | 337 | bookmark with URLs | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 48 | BRS | 3 | (bookmark with URLs) and (contact near2 database) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 49 | BRS | 2 | (store same (contact with (domain near2 address$2))) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 50 | BRS | 0 | (download$ same (contact with (domain near2 address$2))) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 51 | BRS | 3 | (download$ with (domain near2 address$2)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 52 | BRS | 976 | download$ with URL | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 53 | BRS | 976 | download$ with URLs | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 54 | BRS | 32 | (download$ with URLs) and (email near2 address$2) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 55 | BRS | 0 | 6671714.pn. and protocol | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 56 | BRS | 0 | 6671714.pn. and http | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 57 | BRS | 2 | 6671714.pn. | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 58 | BRS | 1 | 6671714.pn. and hypertext | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 59 | BRS | 47 | (display$ with (domain near2 addresses)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|---|------|------|-------------|-----|
| 60 | BRS | 3 | ((display$ with (domain near2 addresses))) and (email near2 addresses) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 61 | BRS | 3 | ((display$ with (domain near2 addresses))) and (email near2 address) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 62 | BRS | 0 | (display$ with (subdomain near2 addresses)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 63 | BRS | 0 | (display$ same (subdomain near2 addresses)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 64 | BRS | 14 | (subdomain near2 addresses) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 65 | BRS | 27 | (sub-domain near2 addresses) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 66 | BRS | 3 | (sub-domain near2 addresses) and email | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 67 | BRS | 2027 | 709/206 | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 68 | BRS | 80 | 709/206 and URLs and (email near2 address) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 69 | BRS | 30 | (709/206 and URLs and (email near2 address)) and (display$ same URL) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 70 | BRS | 2 | 6157924.pn. | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 71 | BRS | 120 | (local near2 cache) same search | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 72 | BRS | 61 | ((local near2 cache) same search) and database | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 73 | BRS | 86 | (search$ with (local near2 cache)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 74 | BRS | 46 | ((search$ with (local near2 cache))) and database | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 75 | BRS | 15 | ((search$ with (local near2 cache))) and database and (web near2 page) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 76 | BRS | 96 | (local near3 cache) with search$ | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 77 | BRS | 15 | ((local near3 cache) with search$) and database and (web near2 page) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 78 | BRS | 321 | (search$ with (local near2 database)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 79 | BRS | 160 | ((search$ with (local near2 database))) and (stor$ same (local near2 database)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 80 | BRS | 33 | ((search$ with (local near2 database))) and (stor$ same (local near2 database)).ab. | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 81 | BRS· | 3 | (((search$ with (local near2 database))) and (stor$ same (local near2 database)).ab.) and (web near2 page) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 82 | BRS | 1041 | IBM and (local near3 cache) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 83 | BRS | 107 | (IBM and (local near3 cache)) and web near2 site | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 84 | BRS | 146 | (IBM and (local near3 cache)) and (web near2 (site or page)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 85 | BRS | 17 | ((IBM and (local near3 cache)) and (web near2 (site or page))) and (search$ same (local near3 cache)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 86 | BRS | 179 | (search$ same (local near3 cache)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 87 | BRS | 42 | ( (search$ same (local near3 cache))) and (web near2 (site or page)) | USPAT; EPO; JPO; DERWENT; IBM_TDB |